

A. OCTANORM stand


6 m² Stand

development of internal **walls in white colour**, straight counter, inscription on the fascia board over the stand (1 running metre), grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1kW

IN A ROW




CORNER



development of internal **walls with graphics/colour**, straight counter with **graphics/colour**, grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW

IN A ROW




CORNER




9 m² Stand

development of internal **walls in white colour**, straight counter, inscription on the fascia board over the stand (1 running metre), grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW

IN A ROW



CORNER



development of internal **walls with graphics/colour**, straight counter with **graphics/colour**, grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW

IN A ROW




CORNER




12 m² Stand

development of internal **walls in white colour**, straight counter, inscription on the fascia board over the stand (1 running metre), grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW, lockable backup facilities

IN A ROW




CORNER




Exhibition area, development of internal walls **with graphics/colour**, straight counter **with graphics/colour**, grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW, lockable backup facilities

IN A ROW



CORNER



B. BEMATRIX Stand

6 m² Stand: development of internal **walls with graphics/colour***, straight counter with **graphics/colour***, grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW

IN A ROW OR CORNER




9 m² Stand: development of internal **walls with graphics/colour***, straight counter with **graphics/colour***, grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW

IN A ROW OR CORNER



12 m² Stand: development of internal **walls with graphics/colour***, straight counter with **graphics/colour***, grey carpet flooring within the area of the stand, lightning, electric socket 230 V/1 kW, lockable backup facilities

IN A ROW



CORNER



Please note that the location of the stand and in consequence its shape: corner or in the row is not part of the agreement between Exhibitor and Organizer (see Terms and Regulations). However, you may suggest your preferred shape as well as the location in the Fair hall and as far as possible we will consider your request.